





TRIADE PRO SYSTEM



WOOD & GLASS
SHELVING
SYSTEMS


TRIADE PRO XXL



40 mm min.


40 kg per pair
for shelf 400 mm deep

SPECIFICATION




It is the responsibility of the customer: to ensure the wall is of a suitable quality to hold the shelf fixing in place and to use the proper hardware fittings according to the construction of the wall. For more specific information, please refer to the WARNINGS section at the end of the catalogue.


ADJUSTMENT







BRACKET ALIGNMENT



LATERAL ADJUSTMENT




INCLINATION ADJUSTMENT




LOADING CAPACITY CHART

(The figures refer to 2 shelf supports)






RECOMMENDED NUMBER OF TRIADE PRO XXL PER SHELF










= PZ2 = open ended wrench 12 mm
 = 25 pcs.
 123
1623004000



VERY IMPORTANT
Centre of the hole is shifted 3,5 mm upwards. Please keep in mind when levelling the shelf.





OPTIONAL DRILLING FOR SECURITY LOCKING




= S2 = on request


21105190ZN 14 40
21105060ZN 20 50




TRIADE PRO XXL AND BRACKET



Overmolded steel pin in plastic material.



OPTIONAL SECURITY LOCKING




TRIADE PRO MAXI wall bracket
16215030ZN



Pan head screw max Ø 5 mm

TRIADE PRO XXL
1623004000


Pan head screw M5 x 12 mm
60334030ZN



It is the responsibility of the customer: to ensure the wall is of a suitable quality to hold the shelf fixing in place and to use the proper hardware fittings according to the construction of the wall. For more specific information, please refer to the WARNINGS section at the end of the catalogue.



* Optional drilling for security locking with M4 grub screw placed underneath in alignment with the cavity. For details refer to Triade Pro XXL section.



FIXING ACCESSORY



ST = 100 pcs.

123 **16215030ZN**

= M5 = PZ2 = 500 pcs.

ST 123 **60334030ZN**